

Westeel Centurion Stiffened Flat Bottom Bins

MODEL	RINGS (TIERS)	DIAMETER (FT)	CAPACITY (BU)	OVERALL HEIGHT (FT)	MIN AUGER LENGTH (FT)
1505	5	14' 11"	2940	22' 7"	38
1506	6	14' 11"	3490	26' 3"	43
1507	7	14' 11"	4040	29' 11"	48
1508	8	14' 11"	4580	33' 7"	54
1509	9	14' 11"	5130	37' 3"	59
1510*	10	14' 11"	5670	40' 10"	64
1511*	11	14' 11"	6220	44' 6"	69
1512*	12	14' 11"	6770	48' 2"	74
1805	5	17' 11"	4290	23' 6"	40
1806	6	17' 11"	5080	27' 2"	45
1807	7	17' 11"	5860	30' 10"	51
1808	8	17' 11"	6650	34' 6"	56
1809	9	17' 11"	7440	38' 2"	61
1810*	10	17' 11"	8220	41' 8"	66
1811*	11	17' 11"	9010	45' 4"	71
1812*	12	17' 11"	9800	49' 0"	77
2105	5	20' 11"	5910	24' 4"	42
2106	6	20' 11"	6980	28' 0"	48
2107	7	20' 11"	8050	31' 8"	53
2108	8	20' 11"	9130	35' 4"	58
2109	9	20' 11"	10200	39' 0"	63
2110*	10	20' 11"	11270	42' 7"	68
2111*	11	20' 11"	12340	46' 3"	73
2112*	12	20' 11"	13410	49' 11"	79
2405	5	23' 10"	7820	25' 2"	44
2406	6	23' 10"	9220	28' 10"	50
2407	7	23' 10"	10620	32' 6"	55
2408	8	23' 10"	12010	36' 2"	60
2409	9	23' 10"	13410	39' 10"	65
2410*	10	23' 10"	14810	43' 5"	70
2411*	11	23' 10"	16210	47' 1"	76
2412*	12	23' 10"	17610	50' 9"	81
2705	5	26' 10"	10020	26' 1"	47
2706	6	26' 10"	11790	29' 9"	52
2707	7	26' 10"	13560	33' 5"	57
2708	8	26' 10"	15330	37' 1"	62
2709	9	26' 10"	17100	40' 9"	67
2710*	10	26' 10"	18870	44' 3"	72
2711*	11	26' 10"	20640	47' 11"	78
2712*	12	26' 10"	22410	51' 7"	83

Westeel Centurion Stiffened Flat Bottom Bins

MODEL	RINGS (TIERS)	DIAMETER (FT)	CAPACITY (BU)	OVERALL HEIGHT (FT)	MIN AUGER LENGTH (FT)
3005	5	29' 10"	12510	26' 6"	49
3006	6	29' 10"	14700	30' 2"	54
3007	7	29' 10"	16880	33' 10"	59
3008	8	29' 10"	19070	37' 6"	64
3009	9	29' 10"	21250	41' 2"	69
3010*	10	29' 10"	23440	44' 8"	75
3011*	11	29' 10"	25620	48' 4"	80
3012*	12	29' 10"	27810	52' 0"	85
3305	5	32' 10"	15320	27' 5"	51
3306	6	32' 10"	17970	31' 1"	56
3307	7	32' 10"	20610	34' 9"	61
3308	8	32' 10"	23250	38' 5"	66
3309	9	32' 10"	25900	42' 1"	72
3310*	10	32' 10"	28540	45' 7"	77
3311*	11	32' 10"	31190	49' 3"	82
3312*	12	32' 10"	33830	52' 11"	87
3604	4	35' 10"	15300	24' 7"	48
3605	5	35' 10"	18450	28' 3"	53
3606	6	35' 10"	21590	31' 11"	58
3607	7	35' 10"	24740	35' 7"	63
3608	8	35' 10"	27890	39' 3"	58
3609	9	35' 10"	31030	42' 11"	74
3610*	10	35' 10"	34180	46' 5"	79
3611*	11	35' 10"	37330	50' 1"	84
3612*	12	35' 10"	40470	53' 9"	89
3905	5	38' 10"	21900	29' 1"	55
3906	6	38' 10"	25600	32' 9"	60
3907	7	38' 10"	29290	36' 5"	65
3908	8	38' 10"	32980	40' 1"	71
3909	9	38' 10"	36670	43' 9"	76
3910*	10	38' 10"	40370	47' 3"	81
3911*	11	38' 10"	44060	50' 11"	86
3912*	12	38' 10"	47750	54' 7"	91
4205	5	41' 9"	25690	30' 0"	57
4206	6	41' 9"	29980	33' 8"	62
4207	7	41' 9"	34260	37' 4"	67
4208	8	41' 9"	38540	41' 0"	73
4209	9	41' 9"	42820	44' 8"	78
4210*	10	41' 9"	47110	48' 2"	83
4211*	11	41' 9"	51390	51' 10"	88
4212*	12	41' 9"	55670	55' 6"	93

Westeel Centurion Stiffened Flat Bottom Bins

MODEL	RINGS (TIERS)	DIAMETER (FT)	CAPACITY (BU)	OVERALL HEIGHT (FT)	MIN AUGER LENGTH (FT)
4505	5	44' 9"	29830	30' 10"	59
4506	6	44' 9"	34750	34' 6"	64
4507	7	44' 9"	39660	38' 2"	70
4508	8	44' 9"	44580	41' 10"	75
4509	9	44' 9"	49500	45' 6"	80
4510*	10	44' 9"	54410	49' 0"	85
4511*	11	44' 9"	59330	52' 8"	90
4512*	12	44' 9"	64250	56' 4"	96
4805	5	47' 9"	34320	31' 8"	61
4806	6	47' 9"	39910	35' 4"	67
4807	7	47' 9"	45510	39' 0"	72
4808	8	47' 9"	51100	42' 8"	77
4809	9	47' 9"	56700	46' 4"	82
4810*	10	47' 9"	62290	49' 10"	87
4811*	11	47' 9"	67880	53' 6"	92
4812*	12	47' 9"	73480	57' 2"	98
5105*	5	50' 9"	39170	32' 2"	64
5106*	6	50' 9"	45490	35' 10"	68
5107*	7	50' 9"	51800	39' 6"	74
5108*	8	50' 9"	58120	43' 2"	80
5109*	9	50' 9"	64430	46' 10"	83
5110*	10	50' 9"	70750	50' 6"	89
5405*	5	53' 9"	44400	33' 1"	66
5406*	6	53' 9"	51480	36' 9"	70
5407*	7	53' 9"	58560	40' 5"	76
5408*	8	53' 9"	65640	44' 1"	81
5409*	9	53' 9"	72720	47' 9"	86

*Noted models are supplied with bolted flat cap; all others supplied with domed cap and remote cap opener.